

Oil-Less

無油式空氣壓縮機

dental compressor

air compressor



Highest standard of reliability

characteristic

i n t r o d u c e

秉持綠色環保和安全品質的理念，開發適合醫療及精密行業使用的系列機種。

The dental series of compressors are specially innovated to meet the most precise standard for compressed air purity in dental and other applications as "green energy" and assure the reliability and environmentally friendly.



特點 Feature

不需使用潤滑油，無油污染，潔淨氣體。

No oil in the compressor. Completely eliminate oil from the compressed air system.

儲氣桶及內部零件使用不銹鋼材質，避免銹蝕的產生，雙馬達配置，創新設計。

Stainless air tank and spare parts are adopted to prevent from rusting. DR-175-30L with rubber leveling feet ensure vibration-free operation.

全機採用高級吸音、防震材料，達到運轉低噪音無震動的要求。

With quiet enclosure to ensure quiet running.

經由乾燥器與精密過濾器的處理，得到不含水份及雜質的潔淨空氣。

With exclusive desiccant air dryer and precise filter to provide clean compressed air without moisture to improve your efficiency and productivity.





DT-175-1C
SA-175-1C



DT-175-2C
SA-175-2C



DR-175-30L

■ DENTAL SPECIFICATION 無油式空氣壓縮機規格表

規格 Size		型 式 Model		DR-175-30L	SA-175-1C	SA-175-2C	DT-175-1C	DT-175-2C
馬 達	Motor (HP)			1	1	1x2	1	1x2
使用壓力	W.P. (kg/cm ²)			7	7	7	7	7
轉速	SPEED (RPM)	1450	1740	1450	1450	1450	1450	1450 1740
排氣量	Displacement (l /min)	122	120	122	122x2	122	122x2	120x2
氣筒容量	Tank Capacity (l)	30		21	39	21	39	
尺寸	Dimension (mm)	880x400x410		840x540x500	840x560x660	840x540x500	840x560x660	
重量	Weight (kg)	34		75	92	83	100	
噪音值	Noise Level dB (A)	76		60	62	60	62	

a i r c o m p r e s s o r
Oil-Less



東正鐵工廠 股份有限公司

TONG CHENG IRON WORKS CO.,LTD

公 司：台中市東區信義街116號

Head Office：116 Shing Yee St., Taichung, Taiwan

TEL:886-4-2261-2135 FAX:886-4-2261-5465

廠 址：台中市南區大慶街二段16號

F a c t o r y：16 Ta Chin St. Sec.2, Taichung, Taiwan

TEL:886-4-2261-2135 FAX:886-4-2262-8246

w e b s i t e：w w w . s w a n a i r . c o m . t w



台北營業所：新北市五股區五權五路43號

TEL:02-2299-1285 FAX:02-2298-2296

台中營業所：台中市南區大慶街二段16號

TEL:04-2261-2135 FAX:04-2261-5465

台南營業所：台南市永康區中正南路635號

TEL:06-253-9848 FAX:06-253-9849

E-Mail:swantc@swanair.com.tw